

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2360	713/168-170.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 09:14
L2	7921	713/168-170.CCLS. or 713/193.ccls. or 726/4-6.ccls. or 726/21.ccls. or 726/27-30.ccls. or 380/201.ccls. or 380/232.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 09:14
L3	223	(watermark\$1 with ((serial adj number\$1) or identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 09:15
L4	10	3 and (1 or 2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 09:15
S1	3	"09/989,910"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/10/14 09:21
S2	1	"09/990,216"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 12:30
S3	2	"09/937,120"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 12:53
S4	1	"09/990,001"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:31

## EAST Search History

S5	1	"20020120854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 15:17
S6	612	(emulator\$1 or debugger\$1) and (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:25
S7	51	(emulator\$1 or debugger\$1) same (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:26
S8	23	(emulator\$1 or debugger\$1) with (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:26
S9	33	(transfer\$4) with (archiv\$3) with (valid\$4 or authoriz\$4 or prevent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:16
S10	1	(transfer\$4) with (archiv\$3) with (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:17
S11	1	((transfer\$4) with (archiv\$3)) same (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:18
S12	0	((transfer\$4) with (archiv\$3)) with ((authorized or valid) adj recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:19
S13	16	((transfer\$4) with (archiv\$3)) with ((authorized or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:33
S14	30	((transfer\$4) with (archiv\$3)) same ((authorized or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:30

## EAST Search History

S15	14	S14 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:25
S16	1815	(transfer\$4) with (archiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:30
S17	20	((transfer\$4) with (archiv\$3)) with ((authoriz\$3 or valid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:15
S18	4	S17 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:35
S19	34614	"713".CLAS. or "380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:35
S20	130	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:36
S21	65	S20 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:36
S22	134	((transfer\$4) same (archiv\$3)) same ((authoriz\$3 or valid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:41
S23	56	S22 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:25
S24	3	authenticat\$3 with archiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:26

## EAST Search History

S25	6	authenticat\$3 same archiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:26
S26	26	(encrypt\$3 with (transfer\$4) with (archiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:42
S28	6	mooney.in. and lane.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:14
S29	157	encrypt\$4 same archiv\$3 same transfer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:15
S30	24	encrypt\$4 with archiv\$3 with transfer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:24
S31	2	(archiv\$3 with video) with interleav\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:29
S32	3	(archiv\$3 with interleav\$4) same video	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:35
S33	100	archiv\$3 same (smart adj card\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:38
S34	24	archiv\$3 with (smart adj card\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:42
S35	165	mooney.in. and david.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:42

## EAST Search History

S36	1414	key\$1 with (scrambl\$3 or interleav\$3) with (content\$1 or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:28
S37	1367	380/200-210.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:25
S38	136	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:26
S39	67	S38 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:54
S40	0	archiv\$3 with key\$1 with (scrambl\$3 or interleav\$3) with (content\$1 or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:29
S41	1	archiv\$3 same (key\$1 with (scrambl\$3 or interleav\$3) with (content\$1 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:29
S42	91	archiv\$3 with encrypt\$3 with decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:57
S43	0	S37 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:55
S44	248	archiv\$3 same encrypt\$3 same decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:56
S45	0	S44 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:56

## EAST Search History

S46	395	archiv\$3 with encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:57
S47	1	S46 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 11:07
S48	1	"6236727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 11:07
S49	0	interleav\$3 with encrpt\$3 with (status adj message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 16:21
S50	0	interleav\$3 same encrpt\$3 same (status adj message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 16:22
S51	17	interleav\$3 same (status adj message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 16:22
S52	0	(invalid adj recipient) with (exit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:54
S53	0	(invalid adj recipient\$1) with (exit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:54
S54	1	(invalid adj recipient\$1) same (exit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:00

## EAST Search History

S55	67	archive with exit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:07
S56	6255	content with exit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:10
S57	549	(un\$1authoriz\$3 with exit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:16
S58	61	(un\$1authoriz\$3 same content\$1 same exit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:40
S59	3	modif\$3 with (content or data) with (receiver adj (ID or identoty or water\$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:43
S60	3	(modif\$3 or embeddied) with (content or data) with (receiver adj (ID or identoty or water\$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:44
S61	50	(modif\$3 or embeddd\$3 or includ\$3) with (content or data) with (receiver adj (ID or identoty or water\$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:57
S62	0	(modif\$3 or embeddd\$3 or includ\$3) with (archiv\$3) with (receiver adj (ID or identity or water\$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:58

## EAST Search History

S63	2	(modif\$3 or embedd\$3 or includ\$3) same(archiv\$3) same (receiver adj (ID or identity or water\$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:59
S64	3	(modif\$3 or embedd\$3 or includ\$3) same (archiv\$3) same (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:02
S65	7	(modif\$3 or embedd\$3 or includ\$3 or insert\$3) same (archiv\$3) same (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:05
S66	4	S65 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:02
S67	85	(modif\$3 or embedd\$3 or includ\$3 or insert\$3) and (archiv\$3) and (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:04
S68	78	S67 not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:04
S69	14	(modif\$3 or embedd\$3 or includ\$3 or insert\$3) with (content) with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:06
S70	0	(modif\$3 or embedd\$3 or includ\$3 or insert\$3) with (content) with ((hidden adj data) with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:07



## EAST Search History

S71	1135	(modif\$3 or embedd\$3 or includ\$3 or insert\$3) with (content) with (transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:07
S72	43	(modif\$3 or embedd\$3 or includ\$3 or insert\$3) with (content) with (identit\$3 with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:08
S73	1	"6226618".pn. and (watermark\$3 with encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:53
S76	1	archive with (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:29
S77	1	archive same (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:29
S78	210	watermark\$3 with map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14
S79	24	watermark\$3 with (memory with map\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:58
S80	924	authoriz\$3 with window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14

## EAST Search History

S81	0	S78 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14
S82	12767	watermark\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14
S83	26	S80 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:15
S84	1687	713/168-170.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:00
S85	1159	713/193.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:00
S86	1764	726/4-6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:01
S87	178	726/21.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:01
S88	659	726/27-30.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:02

## EAST Search History

S89	647	380/201.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:02
S90	69	380/232.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:02
S91	29997	(key\$1board or mouse or (input adj device\$1)) with (lock\$3 or block\$3 or disabl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 14:24
S92	103	(key\$1board or mouse or (input adj device\$1)) with (lock\$3 or block\$3 or disabl\$3) with (un\$1authoriz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 14:26
S93	2	(key\$1board or mouse or (input adj device\$1)) with (lock\$3 or block\$3 or disabl\$3) with (un\$1authoriz\$3) with window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 14:28
S94	3	(key\$1board or mouse or (input adj device\$1)) with (lock\$3 or block\$3 or disabl\$3) with (un\$1authoriz\$3) same window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 14:28
S95	2	"20020141576".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:06
S96	21	"6252964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 15:36

## EAST Search History

S97	2	"6252964".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 15:36
S10 0	222	(watermark\$1 with ((serial adj number\$1) or identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:09
S10 1	1	S100 with receiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:27
S10 2	1163	380/201-203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:29
S10 3	13	S102 and (analysis adj tool\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:37
S10 4	13	S102 and (analysis with tool\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:38
S10 5	0	S104 not S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:38
S10 6	21	S102 and (analysis same tool\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:38

## EAST Search History

S10 7	21	S106 not S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:38
S10 8	8	S106 not S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/11 16:41